







Detecto's 7550 Wheelchair Scale folds up compact against the wall to conserve floor space when not in use.









- Compact Vertical Fold-Up Platform Conserves Space
- Pushbutton and Keypad Tare for Wheelchair Weights
- Accommodates Some Sizes of Power Wheelchairs
- May be Used on Carpet or Hard Floor Surfaces
- ISO 9001:2008
- RS232 Serial and USB Ports Standard
- Body Mass Index Calculation



Detecto's model 7550 wheelchair scale features a unique fold-up storage design that saves space when not in use.

The 7550 easily accommodates most wheelchairs, and yet requires very little floor space when folded up. The slim 6.6-inch / 17-cm profile takes up minimal space when installed in a medical facility hallway, clinical office, or patient room. When you're ready to weigh, simply lower the platform and the gas spring lifting mechanism will gently lower it into place. The patient may be easily rolled onto the scale, and a platform lip will hold the wheelchair securely in place for weighing.



Slim 6.6-inch / 17-cm Compact Profile





The 7550's MedVue® weight indicator is the clinical industry's most advanced, featuring EMR/EHR-ready serial, USB,

and optional Wi-Fi connectivity, BMI calculation, yellow "quick keys" for basic weighing, and a multiline LCD display. The scale is powered by 6 C batteries (not included) or optional AC adapter.



model 7550 Wall-Mount Fold-up WHEELCHAIR SCALES



DETECTO is the largest medical scale manufacturer in the United States providing clinical-grade accuracy and dependability for over 113 years.



The 7550's 1.5-inch/38-mm high platform is very low to the ground for easy patient access. This makes the process simple and minimal effort required in order to roll a patient on and off the weighing platform.

Capacity	1,000 lb x 0.2 lb / 300 kg x 0.1 kg
Platform Size (Flat Portion)	32.3 in W x 33 in D x 1.5 in H $/$ 81.9 cm W x 83.9 cm D x 3.8 cm H
Overall Dimensions	Width: 50.3 in / 127.6 cm Depth: 39.3 in / 99.7 cm (with platform extended) 6.6 in / 16.8 cm (without platform extended) Height: 48.8 in / 123.8 cm (with indicator) 41.1 in / 104.4 cm (without indicator)
Weight Indicator Dimensions	9.8 inch W x 6.8 inch H x 1.8 inch D / 248.9 mm W x 172.7 mm H x 45.7 mm D
LCD Display Size	3.5 inch W x 3 inch H / 89 mm W x 76 mm H backlit blue LCD
Display	Weight: 5 digit, seven segment, 0.875 inch / 22.2 mm high LCD Height: 4 digit, seven segment, 0.5 inch / 12.7 mm high LCD Body Mass Index: 3 digit, seven segment, 0.5 inch / 12.7 mm high LCD ID: 14 digit, 14 segment, 0.35 inch / 8.9 mm high LCD
Resolution	5,000 divisions, maximum
Keypad	Sealed-membrane type with 19 color-coded keys
Connectivity Ports	RS232 serial and USB (standard), wired and Wi-Fi Ethernet (optional)
Power	6 C cell Alkaline, Ni-Cad or NiMH batteries (not included) OR an optional 12 VDC 1.25A wall plug-in AC power adapter (Detecto part number MV1PWR)
Battery Life	7,560 weighments (with backlight fully ON) / 10,620 weighments (with backlight fully OFF)
Weighing Mechanism	Electronic load cells
Lifting Mechanism	Gas springs
Operating Temperature	14° to 104° F (-10° to +40° C)
Construction	Steel
UPC Code	809161190908
Net Weight	180 lb / 82 kg
Shipping Weight	238 lb / 108 kg

Detecto Scale reserves the right to improve, enhance, or modify features and specifications without prior notice.

A Division of Cardinal Scale Manufacturing Co.

203 E. Daugherty, Webb City, MO 64870 USA
Ph: 417-673-4631 or 1-800-641-2008 Fax: 417-673-5001

www.Detecto.com

Mobile: m.detecto.com

SOLD BY:

